SAFETY DATA SHEET



Issue Date: June 26, 2017 Revision Date: June 25, 2018 Version 2017

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name: Aquanil Plus 100

Other Means of Identification: SDS #: F3320

Recommended Use: Concrete Sealing Compound

Restrictions on Use: No Data

Supplier of the Safety Data Sheet including Address:

ChemMasters Inc. 300 Edwards Street Madison, OH 44057

Telephone Numbers

Company Phone Number Phone: 800-486-7866, 440-428-2105

Fax: 440-428-7091

Emergency Telephone: ChemTrec 800-424-9300

2. HAZARDS IDENTIFICATION

Emergency Overview

OSHA Hazards

Causes skin irritation, causes serious eye irritation, may cause respiratory irritation, may be harmful if swallowed.

Target Organs: Respiratory System

GHS Classification

Flammable Liquids Category 4
Acute Toxicity, Oral Category 5
Skin Corrosion/Irritation, Category 2
Eye Damage/Irritation, Category 2A
Specific target organ toxicity – single exposure Category 3 (Respiratory System)

Label Elements, including precautionary statements

Pictograms:

Signal Word: Warning

Hazard Statements:

H227	Combustible Liquid
H303	May be harmful if swallowed
H315	Causes skin irritation
H319	Causes serious eye irritation
H335	May cause respiratory irritation

Precautionary Statement(s)

Prevention:

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P264	Wash skin thoroughly after handling.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves/protective clothing/eve protection/face protection.

Response:

P302+P352	IF ON SKIN: Wash with plenty of soap and water.
P303	If swallowed: Call a Poison Center/doctor if you feel unwell.
P332+P313	If skin irritation occurs: Get medical advice/attention.
P362+P364	Take off contaminated clothing and wash it before reuse.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P337+P313 If eye irritation persist: Get medical advice/attention.

P304+P340+P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a

POISON CENTER/doctor if you feel unwell.

P370+P378 In case of fire use, dry chemical, alcohol resistant foam, halon or carbon dioxide to

extinguish.

Storage: P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store Locked Up

Disposal: P501 Dispose of contents/container in accordance with local/regional/national regulations.

Hazards not otherwise classified: None

3. COMPOSITION/INFORMATION ON INGREDIENTS

Component

N-Octyltriethoxysilane, CAS# 2943-75-1 and Branched Octyltriethoxysilanes

100%

Ingredients not listed on this safety data sheet are considered to be non-hazardous according to OSHA 1910.1200 or are not present above their cutoff levels. Where a range is displayed, the exact percentage of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

First Aid Measures

General Advice: Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

Inhalation: IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell.

Eye Contact: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice or attention.

Ingestion: IF SWALLOWED: Immediately call a POISON CENTER/doctor if you feel unwell. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth if conscious.

Skin Contact: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. Wash off with soap and plenty of water. If skin irritation occurs: Get medical advice or attention.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media: Alcohol-resistant foam, dry chemical, halon or carbon dioxide

Specific Hazards Arising from the Chemical

In a fire or if heated a pressure increase will occur and the container may burst.

Vapors are combustible and heavier than air. Vapors may travel across the ground and reach remote ignition sources causing a flashback fire danger.

Hazardous Combustion Products: Carbon dioxides & Carbon monoxide

Protective Equipment and Precautions for Firefighters

Wear self-contained breathing apparatus and full protective gear for firefighting.

Further Information: Use water spray to cool unopened containers. See Section 7 for safe handling and storage

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Use personal protective equipment. Avoid breathing dust/fume/gas/mist/vapours/spray. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

Environmental Precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains or waterways.

Methods and Material for Containment and Cleaning Up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations.

7. HANDLING AND STORAGE

Precautions for Safe Handling

Do not handle until all safety precautions have been read and understood. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Wash hands and skin thoroughly after handling. Use only outdoors or in a well ventilated area. Wear protective gloves/protective clothing/eye protection/face protection.

Conditions for Safe Storage, Including any Incompatibilities

Keep container tightly closed in a dry, cool and well ventilated place.

Containers which are opened must be carefully resealed and kept upright to prevent leakage.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines:

Ethyl Alcohol is formed upon contact with water or humid air. Provide adequate ventilation to control exposures within OSHA Guidelines: TWA 1000 ppm and ACGIH TLV: STEL 1000 ppm.

Appropriate Engineering Controls

Local Ventilation: Recommended General Ventilation: Recommended

Individual Protection Measures, such as Personal Protective Equipment

Eye/Face Protection: Use proper protection – Safety Glasses as a minimum

Skin and Body Protection: Wash at mealtime and end of shift. Skin contact must be avoided by using impervious protective clothing (gloves, aprons, boots, etc.). Use chemical protective gloves as a minimum and wash skin promptly upon any skin contact.

Respiratory Protection: Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators.

General Hygiene Considerations: Handle in accordance with good industrial hygiene and safety practice. Wash hands before & after breaks and work day.

9. PHYSICAL AND CHEMICAL PROPERTIES

<u>Information on Basic Physical and Chemical Properties</u>

Physical State: Liquid

Appearance: ClearOdor: Alcoholic OdorColor: Clear to pale yellowOdor threshold: No Data

Property Value Remarks – Method

Vapor Pressure
Vapor Density
Relative Density
PH:
Not Available
Not Available
Not Relevant
Melting/Freezing Point
Solubility
Not Available
Evaporation Rate
Not Available
Not Available

Flash Point 65 Degrees C (149 Degrees F) PM (D93) Closed Cup

Flammability Limits Lower Limit: Not Available

Flammability (Solid, gas)

Auto Ignition Temperature

Initial Boiling Point/Boiling Range

Decomposition Temperature

Viscosity

Not Available

Not Available

Not Available

Specific Gravity 0.875 at 25 Degrees C 7.29 +/- 0.01 Lbs./gal.

10. STABILITY AND REACTIVITY

Chemical Stability: Stable

Possibility of Hazardous Reactions: Hazardous polymerization will not occur.

<u>Conditions to Avoid:</u> Moisture as material generates ethanol on contact with water or moisture.

Avoid Heat, Flames and Sparks as material is combustible.

Incompatible Materials: Keep away from strong oxidizing agents, strong alkalis and strong acids.

Hazardous Decomposition Products:

Hazardous decomposition products formed under fire conditions, Carbon and Silicon oxides.

11. TOXICOLOGICAL INFORMATION

Likely Routes of Exposure: Inhalation, Skin Contact, Eye Contact, Ingestion

Symptoms of Exposure:

Contact with the eye can cause redness, blurred vision and tearing. Prolonged or repeated contact with skin may cause defatting or dermatitis.

Inhalation may cause respiratory system irritation, headache, dizziness, anesthesia, drowsiness, unconsciousness and other central nervous system effects.

<u>Delayed and Immediate Effects as well as Chronic Effects from Short and Long-Term Exposure</u> <u>Repeated Exposure</u> may cause skin dryness and cracking.

Carcinogenicity:

Product is not expected to be carcinogenic.

Other Chronic Effects:

Chronic over-exposure to this material may cause systemic toxicity, including adverse reactions to the following: liver, spleen, thymus, bladder, brain and nervous systems.

Numerical Measures of Toxicity: No Data Available

12. ECOLOGICAL INFORMATION

Ecotoxicity: No data available.

Acute Toxicity: Vertebrates

Persistence and Degradability: No data available.

Bioaccumulation: No Data Available

Mobility: No Data Available

Other Adverse Effects: No Data Available

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Disposal of Wastes: Under RCRA 40 CFR 261 this material is a hazardous waste. Dispose of in accordance with all federal, state, and local regulations. If uncertain of local requirements, contact the proper environmental authorities for information on waste disposal in your area. Contact a licensed professional waste disposal service to dispose of this material.

Contaminated Packaging: Dispose of as unused product.

14. TRANSPORT INFORMATION

D.O.T.:

Non-Bulk: Not a dangerous good

Bulk (>119 gallon container): NA1993, Combustible Liquid N.O.S. (N-Octyltriethoxysilane), Combustible Liquid, III

I.A.T.A.:

Not a dangerous good

I.M.D.G.:

Not a dangerous good Marine Pollutant: No

15. REGULATORY INFORMATION

International Inventories

TSCA: All chemical substances in this material are included on or exempted from listing on the TSCA Inventory of Chemical Substances.

US Federal Regulations

SARA 302: None

SARA 311/312 Hazard Categories: Acute: Yes, Fire: No, Chronic: Yes

SARA 313 Hazard Categories:

<u>CAS Number</u> <u>Component Name</u> <u>Wt. %</u>

None known

CWA (Clean Water Act): None known

Supplemental State Compliance Information

California: This product does not contain any known chemical(s) listed by the State of California under the Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65) as being known to cause cancer, birth defects or other reproductive harm.

States Right To Know:

N-Octyltriethoxysilanes, CAS# 2943-75-1: Pennsylvania, New Jersey

U.S. EPA Label Information: No Data

16. OTHER INFORMATION

HMIS Classification:

Health hazard: 1* Flammability: 2 Physical Hazards: 0

NFPA Rating:

Health hazard: 1
Fire: 2
Reactivity Hazard: 0

Issuance Date: June 26, 2017 Revision Date: June 25, 2018

Revision Note: Reviewed and Updated Date of Previous Version: September 9, 2014

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet