



Lumber Marking Paint

Premium Water-Based Marking Paint

SPECIALTY CONSTRUCTION PRODUCTS

P R O D U C T D A T A

DESCRIPTION

Lumber Marking Paint is a premium water-based marking paint. For Visible branding of your company colors on the ends of lumber and for stencil logo or other identification.

ADVANTAGES

- **Lumber Marking Paint** provides excellent coverage over many wood surfaces.
- Tough durable finish for use on various grades of lumber.
- Great for use on hardwood & softwood lumber bundles
- High quality and easy identification of your company brand and export or species identifiers.
- A very low VOC emission product at <100 g/L VOC.
- Water-based, non-hazardous product.
- Non-Seasonal, year-round formula.
- Can be brush, roll, or spray applied
- Colors: Brown, Teal, Green, Red.
- Custom colors available.

TECHNICAL DATA

Physical Properties	
VOC content	<100 g/L
Flash Point PMCC	>212°F
Specific Gravity	1.07
Density	8.95 (lb/gal)
% Solid	36 to 38%
Viscosity	65-69 KU
Drying Time	20 to 30 minutes tack free 2 to 4 hours for a recoat

Estimating Guide coverage rates vary with log/lumber porosity

Condition	ft ² /gallon	m ² /liter
Marking	150 to 250	13.9 to 23.2

Directions for Use Mixing: Mix well prior to use. Do not dilute.

Surface Preparation: Surfaces must be free of all dirt, mud, oil, grease, debris or other contaminants.

Application: Apply with either a brush, roller or sprayer. Apply liberally with a full brush, spreading evenly and quickly. Use a roller or sprayer for easier application on larger areas.

Cleanup: Before material dries and hardens, clean tools and equipment with warm water and detergent.

Storage: Do not allow to freeze. Store tightly sealed containers in cool, dry area above 50°F. Shelf life is one year from date of manufacture.

Limitations: Keep material from freezing.

**For professional use only.
Keep away from children.
SDS must be read and fully understood
prior to use.**

Hazard Statement: WARNING

Harmful if inhaled. Causes mild skin irritation. May cause respiratory irritation.



ChemMasters

American Owned & Operated Company

300 EDWARDS STREET • MADISON, OHIO 44057-3112 (440) 428-2105 • FAX (440) 428-7091 • ORDERLINE: (800) 486-7866 www.chemmasters.net

This Product is Formulated and Labeled for Industrial and Commercial Use Only

FOR BEST RESULTS AND SAFEST USAGE, USER IS SPECIFICALLY DIRECTED TO CONSULT THE CURRENT PRODUCT & SAFETY DATA SHEETS AND PACKAGE LABEL FOR THIS PRODUCT. We warrant our products to meet our published specifications and to be free from defects in materials and workmanship to the acceptable quality levels defined in these specifications. If acceptable quality levels are not specified, the acceptable quality levels will be those normally supplied by us for the product. We make no guarantee of the results to be obtained from the use of our products. The determination as to the adaptability of any of our products to the specific needs of the Buyer is solely Buyer's prerogative and responsibility. We are glad to offer suggestions on the use of our products. Nevertheless, there are no warranties given except such expresses warranties offered in connection with the sale of a particular product. Our liability shall be limited to replacement of, or refund of an amount not to exceed the purchase price attributed to, the goods as to which such claim is made. Our selection of one of these alternatives shall be Buyer's exclusive remedy. IN NO CASE SHALL WE BE LIABLE FOR CONSEQUENTIAL OR SPECIAL DAMAGES, EVEN IF WE HAVE BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES. THE FOREGOING WARRANTIES ARE IN LIEU OF ALL OTHER WARRANTIES, GUARANTEES, CO-CONDITIONS AND REPRESENTATIONS, EITHER EXPRESSED OR IMPLIED, WHETHER ARISING UNDER ANY STATUTE, COMMON LAW, USAGE OR TRADE, COURSE OF DEALING OR OTHERWISE, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

©2020 ChemMasters, Inc.

March 2022

Printed in U.S.A.